



Starling Tab-Tension 2 CineGrey 5D® Series Product Brochure

An electric motorized retractable projector screen that uses an Ambient Light Rejecting material. This material is formulated to sustain excellent color reproduction and contrast for enhanced picture quality in environments with little control over room lighting.



Member
InfoComm
INTERNATIONAL




CUSTOM
ELECTRONIC
DESIGN &
INSTALLATION
ASSOCIATION
Member



Starling Tab-Tension 2 CineGrey 5D®



An electric motorized retractable projector screen that uses an Ambient Light Rejecting material to enhance picture quality in environments with little control over room lighting.



Screen Material:

- Award-winning CineGrey 5D® Ambient Light Rejecting Material
- ISF Certified for accurate color points, color temperature and dynamic range
- Enhances contrast, brightness, and color in ambient light room conditions
- Active 3D, Passive 3D, 4K Ultra HD, and HDR Ready
- Black masking borders absorb projector overshoot and enhances visual contrast
- Extra top black masking border for high ceiling installation
- Available in the following diagonal sizes:
 - 92", 106", 120" and 135" in 16:9 format

Design and Installation:

- Elegant arcuate shaped case in black finish
- Floating brackets allow easy wood stud alignment for a wall/ceiling installation
- Mounting hardware kit included
- Wall mountable remote control cradle included
- Plug & Play ready, no hardwire installation required

Control System & Reliability:

- Internal Radio Frequency/Infrared receivers with IR, RF remotes included
- Infrared IR "eye" extension sensor - ideal for concealed installation but still require Infrared control
- 12 volt trigger capable for synchronized screen operation with the projector's power cycle
- Manual control UP/DOWN buttons on exterior of case
- S-232 capable for serial communication
- 2-year manufacturer's warranty
- 3rd year warranty offered through ENR-G program (Education, Non-Profit, Religious, and Government/Military)



