

Electric Tab-Tensioned - Ceiling Ambient Light Rejecting Wall/Ceiling Screens

Series Name	Spectrum Tab-Tension 2 CineGrey 3D®	Starling Tab-Tension 2 CineGrey 4D	Starling Tab-Tension 2 CineGrey 5D®	Starling Tab-Tension CLR®	Starling Tab-Tension CLR® 3
Product Picture					
Recommended Room Size	Small to Medium	Small to Large	Small to Large	Small to Large	Small to Large
Screen Material	CineGrey 3D®	CineGrey 4D	CineGrey 5D®	CLR®	CLR® 3
Material Type	Front Projection - Silver Gray	Front Projection - Silver Gray	Front Projection - Silver Gray	Front Projection - Dark Gray	Front Projection - Gray
Compatible Projectors	Standard Throw only	Standard Throw only	Standard Throw only	Ultra-short throw - Bottom mounted only	Ultra-short throw - Bottom mounted only
Recommended room lighting	Ceiling Ambient Light - 65% rejection	Ceiling Ambient Light - 63% rejection	Ceiling Ambient Light - 75% rejection	Ceiling Ambient Light - 95% rejection	Ceiling Ambient Light - 90% rejection
Aspect Ratio and Diagonal Size Available	16:9 - 100", 120"	16:9 - 106", 126", 140"	16:9 - 92", 106", 120", 135"	16:9 - 101", 121"	16:9 - 101", 121"
Gain	1.2	1.1	1.5	0.6	0.8
Viewing Angle	90°	70°	80°	180°	170°
Easy to Clean Screen Material	Yes	Yes	Yes	Yes	Yes
Black Masking Borders	Yes	Yes	Yes	Top and Bottom only	Top and Bottom only
Black backed	No	No	No	Yes	Yes
Seamless	Yes	Yes	Yes	Yes	Yes
GREENGUARD Certified	Yes	No	Yes	No	No
ISF Certified	Yes	Yes	Yes	No	No

Design and Installation

Housing Description	Steel - Black	Aluminum - Black	Aluminum - Black	Aluminum - Black	Aluminum - White
Installation Method	Flush Wall/Ceiling or Suspended	Flush Wall/Ceiling or Suspended	Flush Wall/Ceiling or Suspended	Flush Wall/Ceiling or Suspended	Flush Wall/Ceiling or Suspended
Sliding Wall/Ceiling Brackets Included	Yes	Yes	Yes	Yes	Yes
Installation screw kit included	Yes	Yes	Yes	Yes	Yes
Optional in-ceiling kit	No	No	No	No	No

Control System

Infrared Remote	Yes	Yes	Yes	Yes	Yes
Radio Frequency Remote	Yes	Yes	Yes	Yes	Yes
3-way wall switch keypad	Yes	No	Yes	Yes	Yes
IR "eye" extended sensor	Yes	Yes	Yes	Yes	Yes
5-12v trigger ready	Yes - Wired and wireless	Yes - Wired only	Yes - Wired and wireless	Yes - Wired and wireless	Yes - Wired and wireless
Wireless 5-12v trigger	Yes	No	Yes	Yes	Yes
RS232 capable	No	Yes	No	No	No
Manual UP/DOWN controls on end cap	No	Yes	No	No	No
Motor Type	Tubular	Tubular	Tubular	Tubular	Tubular