

USER MANUAL ELITE LEARNING UNIVERSAL REMOTE CONTROL SERIES: REMOTECHIEF MODEL: R800D



Thank you for your purchase the **R800D** universal remote control. It features the largest infrared code library for American market.Based on our creative design, it has the easiest and fastest way to **set up directly** by the brand name and code no, in its LCD screen even without the manual book later.

The **R800D** universal remote control almost all brands of Televisions (**TV**), DVD-players and DVR-players (**DVD**), DVB receivers and (digital) Satellite receivers and Cable box (**SAT**), Video Recorders (**VCR**), Audio amplifiers and LD-players and other Audio (**AUX**), Projector (**PRO**), Elite Projector Screen (just only for brand ELITE) (**SCR**). The **R800D** universal remote control operates almost all main functions of your selection of devices.

You can use Auto Search to scan the code library in case of you can not find your device brand in the list.

Besides, R800D can learn a new code from an original remote control to supplement the codes in case of its shortage.

Show View function scans all channels for you to have a program quick view.

All off function can switch off all your devices with one button.

Macro function makes several sequent operations with one button for your home theater.

Volume lock can fix VOL+/VOL- button to control Amplifier only for your home theater.

Device lock can fix the device against changing by a new set up until you unlock it.

R800D has backlight for LCD screen and separate device backlight to show you the currently working device.

Low battery indication to remind you when need to replace batteries.

Light keys all the keys with fluorescence materials to help you to see all the keys clearly even in dark surround.

The R800D also has real time clock to show your time and AM or PM.


All the set up data will be stored in **back up memory** permanently, you don't need to be worry about data loss when you replace battery.

All above mentioned functions show you **R800D** is an advanced, very powerful LCD universal remote control. Please read this user manual carefully prior to using you new LCD remote control.

Bank	for Device	Initial code	Total of codes
τv	TV	048	488
VCR	VCR	075	182
SAT	Satellite,Cable,DVB	075	403
DVD	DVD,DVR	026	190
SCR	Elite Screen	001	14
PRO	Projector	002	3(extend the codes by learning function)
AUX1	AMP, LD,VCD	032	204
AUX2	AMP, LD,VCD	006	204

Device Code Assignment

•Realizing the keys



●, OK, EXIT Works like the UP, DOWN, LEFT,

RIGHT, OK, EXIT keys on your original remote control for menu function. **DISPLAY** display info on the selected channel.

ALL OFF turn off or turn on all devices by one button.

SHOW VIEW Scans all channels for your program quick view.

A,B,C,D,E,F,G,H Spare keys to store your learning command keys.

Battery installation

C

0

This remote control needs 2 batteries to work with please refer to the direction marks inside the battery apartment and put 2 pieces of fresh AAA in the battery apartment. Alkaline batteries are recommended.

To install the batteries:

- 1. Turn the remote over, pull up the tap and lift the cover off.
- 2. Insert the bateries matching the batteries to the (+) and (-) marks inside the battery case.
- 3. Slide the battery cover back into the place.

Set Up(by Brand and Code) for ELITE SCREEN

1. Be sure already Fixing the Elite Screen OK, be sure the POWER is ON.

2. Press and hold the SET key on your remote control. Then press (simultaneously) the device key SCR.. Ver. 1.1 www.elitescreens.com / eliteinfo@elitescreens.com /




- 3. Then release them, the Elite Screen detailed type will be displayed on the screen.
- 4. You can press the **A** or **V** key to select the type of your device (e.g. your detialed type: *ELITE 7U 01*).
- 5. Press the *OK* key to save it. LCD shows *SUCCESS* and then finishes the set up.
- 5. Point **R800D** to the receiver window of screen control box and Press the A or V or OK(STOP) key to Check the function .



• Set Up(by Enter Code) for ELITE SCREEN

- 1. Be sure already Fixing the Elite Screen OK, be sure have Switched on the Screen.
- 2. In the back section of this manual, find the elite screen detailed type and code number(e.g. ELITE 7E02).
- 3. Press the SET key on R800D for more than 3 seconds, then release it.
- 4. Press the **A** or **V** keys to select to **CODE SETUP** in the LCD menu, and press the **OK** key.
- 5. The screen shows the **DEV SEARCH** in the LCD menu, press the \blacktriangle or \checkmark keys to select to **DEV SETUP** in the LCD menu, and press the **OK** key.
- 6. Then you press device key *SCR* on **R800D** and then press the *OK* key, you must now enter the **3-digit device** code (e.g. *006* for *ELITE 7E02*)
- 7. Press the OK key to save it and LCD shows SUCCESS, and press the device key SCR to exit the SETUP mode.
- 8. Please check the function of the keys UP,DOWN,OK(STOP) on R800D.



Remark:

- 1. To return to beginning status, press the EXIT key or the device key (e.g. TV, or VCR...)
- 2. You must point your remote control to the device that you want to control during when you test the keys.
- 4. If the device is locked, you must first unlock the device then setting up.

Elite Screen Brand

Brand	Code
ELITE 7E01	001
ELITE 7U01	002
ELITE 7E00	003
ELITE 7E04	004
ELITE 7E05	005

		NOUD
ELITE 7E02	006	
ELITE 7E07	007	
ELITE 7E03	008	
ELITE 7E08	009	
ELITE 7E06	010	
ELITE 7X01	011	
ELITE 7X02	012	
ELITE 7Y01	013	
ELITE 7E09	014	

How to Replace your TV,DVD,VCR,AUX,SAT,PROJECTOR ORIGINAL Remote Control

You can replace your **TV,DVD,VCR,AUX,SAT, PROJECTOR** original remote controls with R800D by learning function easily. That means you do not need to control your home appliance with many remote controls as before,but only one remote control the R800D.

The **LEARN** feature is also used to supplement the preprogrammed code list. The standard code list may provide most of the functions needed, but you can add additional special functions of your original remote control for your new LCD remote control.

Or you can learn all functions of your original remote control to the keys on the LCD remote control you want, and replace your original remote control.

In learn mode, you must need to prepare a another original remote control that you will take the codes into your **R800D**.

You can select *LEARN KEY* to learn commands, or *DELETE KEY* to delete learnt commands, or choose *DELETE DEV* to delete all commands under a device, or *DELETE ALL* for all learnt commands under all device in learn category. You can enter into the learning mode to press and hold *LEARN* key for more than 3 seconds.

Learn a Command

1. Press a device key (e.g. *TV*) where you want to learn to.

2. Press and hold the *SET* key for more than 3 seconds, then release it.

3. Scroll A or Vey to *LEARNING* in the LCD menu, then press the *OK* key.

4. Scroll ▲ or ▼key to *LEARN KEY* in the LCD menu and then press the *OK* key. The LCD displays *SELECT KEY*.

5. Select the (target) key on your R800D you want to learn (e.g. Power).


6. Point the transmitter of the original remote control remotes face to the receiver window of **R800D** by approximately 20mm(please notice the distance) apart.



7. Press the POWER key on the **R800D**,the LCD displays *WAITING*; Press and hold the *original* remote key (e.g. *Power*) until the LCD displays *SUCCESS* for 1 second. If LCD displays *FAILED*, please Repeat Steps 4-6. Do not shake your original remote control and **R800D** when in leraning process.

8. Repeat Steps 4-6 to learn more other keys.

9. Press a device key (e.g. TV) to quit the learn operation when all desired remote commands are learnt.



Remark:


- 1. A selected target key can be multi learnt from different sources key, R800D will store the final learnt signal only.
- 2. All usual function keys can be learnt except SHOW VIEW,ALL OFF,MACRO,DEVICE KEYS,LEARN etc..
- 3. Some code form may not be learn by this remote control (due to the material cost limit.)
- 4. You can learn about 100 key totally for 8 devices key.

Delete the Learnt Key

 If you like to delete a learnt command, you can follow the steps as below:

 Ver. 1.1
 www.elitescreens.com / eliteinfo@elitescreens.com /

- 1. Press the device key (e.g. TV) where you like to delete commands from.
- 2. Press and hold the SET key for more than 3 seconds, then release it.
- 3. Scroll ▲ or ▼key to *LEARNING* in the LCD menu, then press the *OK* key and the LCD display *LEARN KEY*.
- 4. Scroll ▲ or ▼key to **DELETE KEY** in the LCD menu and then press the **OK** key.
- 5. Press the key on **R800D** that you want to delete, the LCD shows **SURE DELET** and then press the **OK** key to confirm, the LCD will show **SUCCESS**.
- 6. Repeat Step 4 to delete next key you want.
- 7. Press a device key (e.g. TV) to quit the delete operation when all desired remote commands are deleted.




Delete All Learnt Command For a Device

If you like to delete all learnt commands in a device with one order in stead of deleting every key one by one, please follow the below steps:

- 1. Press and hold the SET key for more than 3 seconds, then release it.
- 2. Scroll A or Vey to LEARNING in the LCD menu, and then press the OK key and the LCD display LEARN KEY.

- 3. Scroll ▲ or ▼key to **DELETE DEV** in the LCD menu and then press the **OK** key.
- 4. You select device want to delete(e.g. *DVD*), press the device key DVD.
- 5. The LCD shows **SURE DELET** and then press the **OK** key, the LCD shows **SUCCESS.**
- 6. Repeat step 4-5 to delete commands in other device key.
- 7. Press EXIT key to quit deletes operation.



Remark: sometimes it can take about 3 minutes for delete all commands in one device. If the commands are not many, we suggest you delete commands one by one.

Delete All Learnt Keys

- If you like to delete all learnt commands in the unit, please follow the below steps:
- 1. Press and hold the SET key for more than 3 seconds, then release it.
- 2. Scroll▲ or ▼key to LEARNING in the LCD menu, then press the OK key, LCD shows LEARN KEY.

 Ver. 1.1
 www.elitescreens.com / eliteinfo@elitescreens.com /
 Page

- 3. Scroll A or Vey to **DELETE ALL** in the LCD menu and then press the **OK** key.
- 4. The LCD shows SURE DELET, then press the OK, LCD shows SUCCESS to finish the deletion.



• Other Set Up

★1: Direct Set Up (by Brand and Code) (suitable for TV,DVD,VCR,AUX1.AUX2,SAT)

- 1. Turn on the device (e.g. **TV**) you would like to operate. If it is a VCR, Please insert a tape.
- 2. Press and hold the SET key on your remote control. Then press (simultaneously) one of the device keys (e.g. TV)
- 3. Then release them, the Brand will be displayed on the screen.
- 4. You can press the *A* or *V* key to select the brand of your device (e.g. your TV brand: *Philips*)

6. If you are satisfied with the code, just press the **OK** key to save it. LCD shows **SUCCESS** and then finishes the set up.

ACCENT 048 PHILIPS 10:45 AM 001 023 or SET + TV < or l SUCCESS TV 004 PHILIPS 004 10:45 AM OK

Elite Learning Universal Remote Control – R800D

Remark:

- 1. To return to beginning status, press the EXIT key or the device key (e.g. TV, or VCR...)
- 2. You must point your remote control to the device that you want to control during when you test the keys.
- 4. If the device is locked, you must first unlock the device then setting up.

2: Set-up by Auto Search (suitable for TV,DVD,VCR,AUX1, AUX2,SAT)

If the set-up by **brand and code** failed or you cannot find the brand name in your remote control screen, you may use the **Auto Search** to find the correct code to operate your device.

- 1. Turn on the device (e.g. television) you would like to operate. If it is a VCR, Please insert a tape.
- 2. Press the **SET** key on your new remote control for more than 3 seconds, then release it.
- 3. the **CODE SETUP** will shown in the LCD menu, and press the **OK** key.

4. The screen shows the *DEV SEARCH* in the LCD menu, and press the *OK* key, then you press **device key** to select your desired operation device(e.g. *DVD*) and poit the remote control to the device you choosed already,then press the *OK* key to start the Auto Search.(you must point your remote control to your device at the moment)

- 5. See if the device reacts or not, once the device reacts, press any key to stop the search.
- 6. Test if most of keys work good or not. If most keys work not good enough, please step 4~5.

7. If you find one satisfied code please press the **OK** key to save it and LCD shows **SUCCESS** then show **DEV SEARCH**. You can press device key (e.g. **DVD)** again to finish SET UP or use \blacktriangle or \checkmark to select other set up.

CODE SETUP 048 DEV SEARCH 10:45 AM SET 3S OK OK (DVD (DVD (DVD TV. TV ON **DVD 026 DVD 048** 048 DVD OK OK (DVD (DVD SUCCESS DEV SEARCH DVD **DVD 048** 18 (DVD TV. (DVD TV DVS TV

Elite Learning Universal Remote Control – R800D

Remark:

- 1. In case of you did not stop the search on time when device reacted, you may press the ▲ or ▼ key to search back to find the passed code.(for example, your DVD reacts when the digital is 048 on the LCD, but you do not press any key to stop the searching process synchronously, so the searching process goes on automaticaly. when you press any key to stop the searching process,now the didital nember is already 050. Of course,when you press the POWER or CH+...etc to control your DVD, your DVD will not react.But you can press the ▲ key one time,you will see the digital number changes to 049,and press the POWER or CH+...etc to control your DVD, of course your DVD will not react again;and press the ▲ key one time again,you will see the digital number on the LCD changes to 048,and press the POWER or CH+...etc to control your DVD, this time your DVD will react, then just press the key OK to store it)
- 2. The keys of *OK, EXIT* are only used to set-up your new remote control during the Auto Search, you can't control your device for menu function at the moment until you quit from the set up.
- 3. When remote control searches through all codes, the remote control will stop at the beginning code of the search.
- 4. If the device is locked, you must first unlock the device then set up.

5. Please remember this digital number for your DVD control, because you can enter this digital number when you use "SET-UP by inter code" quickly next time.

***3: Set-up by Enter Code** (suitable for TV,DVD,VCR,AUX1, AUX2,SAT)

 1. Switch on the device, which you would like to control (e.g. TV set).

 Ver. 1.1

 www.elitescreens.com / eliteinfo@elitescreens.com /

2. In the process by "**SET-UP by auto search**", you have found the digital number for your matched device, find the brand code no of your device brand (e.g. **Philips** *001*).

3. Press the SET key on your new remote control for more than 3 seconds, then release it.


4. Press the **A** or **V** keys to select to **CODE SETUP** in the LCD menu, and press the **OK** key.

5. The screen shows the **DEV SEARCH** in the LCD menu, press the \blacktriangle or \checkmark keys to select to **DEV SETUP** in the LCD menu, and press the **OK** key.

6. Then you press device key to select your desired operation device(e.g. TV) and then press the **OK** key, you must now enter the **3-digit device code** (e.g. **001** for **Philips** TV)

7. Press the **OK** key to save it and LCD shows **SUCCESS**, and press **EXIT** key two times to exit the SETUP mode.

8. You check the function of the keys on remote control(such as the POWER or CH+...etc). If most keys on your new remote control do not function correctly, try another 3-digit device code (e.g. **004...**) from the list under the same brand. Repeat steps 3 to 7 until all the basic functions operate correctly.



***4: Set up Clock** Ver. 1.1

You can set up the clock on your R800D LCD remote control and the clock will be displayed on the screen.


1. Press and hold the ${\it SET}$ key for more than 3 seconds, then release it.

2. Press the *A* or *V* key to select the *CONFIGURE* in the LCD menu, and then press the *OK* key.

3. Press the **A** or **V** key to select the **TIME SETUP** in the LCD menu, and then press the **OK** key.

4. Press the \blacktriangleleft or \blacktriangleright key to move the cursor to select hour or minute or **AM/PM**, then press the number key to set hour and minute, and press the \blacktriangle or \checkmark key to select AM or PM.

5. Press the *OK* key to save the setting and LCD display *SUCCESS* for 1 second then exit to current setup state, if you enter errors the LCD screen shows *ERROR* for 1 second. You can press any **device** key to finish set up or press *EXIT* key return to the last state.




☆5: Volume Lock

This function makes you very convenient when you only use one device to adjust volume. For example, you mayVer. 1.1www.elitescreens.com / eliteinfo@elitescreens.com /Page 14 of 23

use your **amplifier** as your main volume control, then you can use this function to fix the volume and mute key of **AUX**, no matter which device you will use (even you will use TV, DVD, VCR etc), the volume and mute key on remote control still control the volume and mute of your amplifier.

- 1. Press and hold the *SET* key for more than 3 seconds, then release it.
- 2. Press the \blacktriangle or \blacktriangledown key to select the **CONFIGURE** in the LCD menu, then press the **OK** key.
- 3. Press the **A** or **V** key to select the **VOL LOCK** in the LCD menu, then press the **OK** key.
- 4. Press the device key to select the device you want to fix, such as **AUX**.
- 5. Press the \blacktriangleleft or \blacktriangleright key to change to the **ON** or **OFF** mode.

6. Press the **OK** key to save the setting and LCD display **SUCCESS** then to current setup state, You can press any device key to finish set up or press the **EXIT** key to last state, or you can use \blacktriangle or \checkmark to select other set up.



Remark: You can only lock one device for volume and mute of your new remote control. The locked device will beVer. 1.1www.elitescreens.com / eliteinfo@elitescreens.com /Page 15 of 23

unlocked when you lock on the other device automatically.

★6:Device Lock


You can use Device lock function to fix current device code and this device code cannot be changed by brand and

code set up or auto search. You can set it to the "OFF" to quit from this function.

1. Press and hold the *SET* key for more than 3 seconds, then release it.

- 2. Press the \blacktriangle or \blacktriangledown key to select the **CONFIGURE** in the LCD menu, then press the **OK** key.
- 3. Press the **A** or **V** key to select the **DEV LOCK** in the LCD menu, then press the **OK** key.
- 4. Press the device key to select the device that you want to fix, such as *TV* (or *DVD*, or *SAT*....)
- 5. Press the \blacktriangleleft or \blacktriangleright key to change to the **ON** or **OFF** mode.

6. Press the **OK** key to save the setting and LCD display **SUCCESS** then exit to current setup state. You can press any device key to finish set up or press the **EXIT** key to last state or you can use \blacktriangle or \checkmark to select other set up.



Elite Learning Universal Remote Control – R800D TIME SETUP DEV LOCK TV OFF OK or ' (DVD (DVD (TIME TV OFF TV ON OK SUCCESS 18 < or ▶ TU (DVD DEV LOCK 048 TV 00:45 AM

Remark:

You can fix all device codes and these device codes cannot be changed by neither **Auto Search** nor **Brand Code Set up.**

☆7: Background Light

If the **background light** is on, the background light will be lighted up when you press any key.


1. Press and hold the *SET* key for more than 3 seconds, then release it.

2. Press the **A** or **V** key to select the **CONFIGURE** in the LCD menu, and then press the **OK** key.

3. Press the \blacktriangle or \blacktriangledown key to select the *LIGHT* in the LCD menu, then press the *OK* key.

4. Press the \blacktriangleleft or \blacktriangleright key to change to the **ON** or **OFF** mode.

5. Press the **OK** key to save setting and LCD shows **SUCCESS** then exit to current setup state, You can press any device key to finish set up or press the **EXIT** key to last state, or you can use \blacktriangle or \checkmark to select other set up.







★8: Contrast Adjust

If you are not satisfied the screen contrast of your remote control, you can use below steps to change it.

- 1. Press and hold the *SET* key for more than 3 seconds, then release it.
- 2. Press the **A** or **V** key to select the **CONFIGURE** in the LCD menu, then press the **OK** key.
- 3. Press the **A** or **V** key to select the **CONTRAST** in the LCD menu, then press the **OK** key.
- 4. Press the \blacktriangleleft or \blacktriangleright key to adjust contrast level, and then press the *OK* key when you satisfied.

5. Press the **OK** key to save the setting and the LCD shows **SUCCESS** then exit to current setup state, You can press any devicekey to finish set up or press the **EXIT** key to last state, or you can use \blacktriangle or \checkmark to select other set up.

Elite Learning Universal Remote Control – R800D CODE SETUP TV 048 CONFIGURE 10:45 AM SET 3S OK or V 6 (DVD (DVD DVD TV TV TIME SETUP CONTRAST CONTRAST 08 OK 4 or or C (DVD (DVD (DVD TV TV CONTRAST OK SUCCESS CONTRAST 18 09 TV (DVD TV DVS TV (DVD



★9:Show View Function

R800D has a Show view function to scan all TV or SAT channels for your quick view.

1. Press the device key to select the device (such as TV) that you want to operate.

2. Press and hold the Show View key about 1 second. When the device's LED flashes and it goes into Show View mode. The remote control automatically scans all channels for a brief quick view.

Remark:

- 1. The remote control must be pointed at the device until Show View mode finished.
- 2. If you want to exit the show view mode, please press any key.

☆10:ALL OFF

You can turn off (on) all devices by one button only and sometimes it's convenient for you. www.elitescreens.com / eliteinfo@elitescreens.com /

Press and hold the **ALL OFF** key about 2~3 seconds and then release them. The remote control will send out all current power signal to turn on(or turn off) for every device one by one. Meanwhile the device key flashes to tell you which power signal is been sending.

Remark: The remote control must be pointed to device that you like to control until the operation finished.

☆11:Macro Function

Macro function let you make sequent operation for you home theater. Press and hold the **MACRO** key and digital nember **1** key (or 2,3 key), and then release them. The device LED will flash and the remote control will send out a sequent IR commands that you programmed before.

You can set up a Macro by following below steps:

1. Press and hold the SET key for more than 3 seconds, then release it.

2. Press the **A** or **V** key to select **MACRO** in the LCD menu, and then press the **OK** key.


3. Press the **A** or **V** key to select the **MACRO1** in the LCD menu (or **Macro2** or **Macro3**), then press the **OK** key.

4. The screen shows **SETUP**, and then press the **OK** key.

5. You can select the device and function key for a sequent operation that you like. (e.g.: *TV+POWER+MUTE+AV, DVD+PLAY, VCR+RECORD*, etc. That means you want turn on the TV and shut off it's sound, switch TV input to AV port, at the same time DVD start to play disc, VCR begins to record *)*

6. Press the OK key to save the setting, LCD shows SUCCESS then exit to current setup state,

7. You can press any device key to finish set up or press the *EXIT* key to last state and use \blacktriangle or \checkmark to select other set up.



Remark:

1. You can set up to maximum 10 commands in a MACRO.

2. Be sure all the keys can send out signals, otherwise even if you programmed these keys inside the MACRO, it still can not work properly when you operate MACRO function. You can check those keys by pressing them to see the relative **Device** buttons flash or not before you set up MACRO.

3. Be sure the device must have relative conditions when you operate MACRO function. For example the disc must be put in the DVD player and a video tape must be put in the VCR when you like to play the DVD or make a record by your VCR.


☆12:Delete Macro

1. Press and hold the **SET** key for more than 3 seconds, then release it.

2. Press the ▲ or ▼ key to select the *MACRO* in the LCD menu, and then press the *OK* key.
3. Press the ▲ or ▼ key to select the *MACRO2* in the LCD menu, then press the *OK* key. LCD shows *SET UP*.
4. Press the ▲ or ▼ key to select the *DELETE* in the LCD menu, then press the *OK* key.
Ver. 1.1 <u>www.elitescreens.com / eliteinfo@elitescreens.com / Page 21 of 23</u>

5. LCD shows **SURE DELETE**, Press the **OK** key to confirm the delete and LCD display **SUCCESS** then back to last state.

6. You can press any device key to finish the delete operation or press the **EXIT** key to last state and use **A** or **V** to select other set up.



☆13:Clear All

Erase all the setting up data, and go back to the factory default settings.

1. Press and hold the *SET* key for more than 3 seconds, then release it.

2. Press the **A** or **V** key to select the **CONFIGURE** in the LCD menu, then press the **OK** key.

3. Press the **A** or **V** key to select the **CLEAR ALL** in the LCD menu, then press the **OK** key and LCD shows

SURE CLEAR.

4. Then press the *OK* key to clear all settings and go back to original default settings.

Elite Learning Universal Remote Control – R800D								
TV 048 10:45 AM	SET 3S	CODE SETUP	A or V	CONFIGURE	ок			
	A or V	CLEAR ALL	ок	SURE CLEAR	ок			
DELETE	ок	SURE DELET	ок		18			
TV 048 11:59 AM								

END
